

HTTP Status Code

Code	Text	Description
200	OK	성공
400	Bad Request	잘못된 요청
401	Unauthorized	권한 없음
403	Forbidden	금지됨
404	Not Found	찾을 수 없음
405	Method Not Allowed	허용되지 않은 방법
429	Too Many Requests	너무 많은 요청
500	Internal Server Error	내부 서버 오류
503	Service Unavailable	서비스를 이용할 수 없음

API Response Code

구분	HTTP Status	Error Code	Error Text	Description
공통	400	A100	Authentication failed	인증 실패
	401	A110	Expired token	만료된 토큰
	403	A111	Invalid token	토큰 권한 없음
	400	A112	Cannot parse JSON	JSON을 파싱 할 수 없음
	400	A113	Cannot mapping JSON	JSON을 매핑 할 수 없음
	500	A900	Service check	서비스 점검
	500	A999	Unknown error	알려지지 않은 에러
	500	M999	Unknown error	알려지지 않은 에러
	500	R999	Unknown error	알려지지 않은 에러
인증	401	A200	Invalid authentication information	잘못된 인증 정보
	403	A210	Blocked account	차단된 계정
	403	A211	Blocked account	차단된 계정
	403	A212	Number of unsuccessful attempts	인증 실패 횟수 초과 (10회)
	403	A231	Invalid Expired Set Value	유효하지 않은 Expired Set Value
파일	400	A400	Oversize attached file	파일 크기 초과
	400	A401	Overlength the image title	이미지명 길이 초과
	400	A402	Invalid file	사용할 수 없는 파일
	400	A403	Image resolution exceeded	이미지 해상도 초과
	403	A410	Duplicated upload within 1 hour	1시간 이내 중복 업로드
	403	A411	Number of upload request within	1분 이내 업로드 건수 초과(30건)
	403	A412	Number of file exceeded	업로드 개수 초과(1개)
	400	A413	Wrong request	잘못된 요청
	500	A414	Failed to process image file	이미지 파일 처리 실패
	500	A415	Upload to Mobile carrier failed	이동통신사 이미지 업로드 실패
	400	A416	Invalid fileType	유효하지 않은 fileType
	400	A417	Invalid fileKey	유효하지 않은 fileKey
	403	A418	Duplicated fileKey(Storage period	중복된 파일키(파일 보관기간 10일)

IS 고객 결과코드	결과코드 설명	비고	MT	RCS
1000 (10000)	성공	MT : 1000, RCS : 10000 으로 정의	○	○
2000	전송 시간 초과		○	○
2001	전송 실패 (무선망단)		○	
2002	전송 실패 (무선망 -> 단말기단)		○	
2003	단말기 전원 꺼짐		○	
2004	단말기 메시지 버퍼 풀		○	
2005	음영지역		○	
2006	메시지 삭제됨		○	
2007	일시적인 단말 문제		○	
2100	G/W 내부 Timeout			○
2101	TTL Time Out, G/W 내부에서 TTL 설정 시간 이내에 발송 하지 못한 경우			○
3000	전송할 수 없음		○	
3001	가입자 없음		○	
3002	성인 인증 실패		○	
3003	수신번호 형식 오류		○	
3004	단말기 서비스 일시 정지		○	
3005	단말기 호 처리 상태		○	
3006	착신 거절		○	
3007	Callback URL을 받을 수 없는 폰		○	
3008	기타 단말기 문제		○	
3009	메시지형식 오류		○	
3010	MMS 미지원 단말		○	
3011	서버 오류 (이동사)		○	
3012	스팸		○	○
3013	서비스 거부		○	
3014	기타		○	○
3015	전송 경로 없음		○	○
3016	첨부파일 사이즈 제한 실패		○	○
3017	발신번호 변경방지 세칙 위반 - 동보MT 일부건 세칙 위반시 - 국제 동보MT 세칙 위반시 (최종 착신지 국내) - 발신번호에 MO번호를 사용하고, 해당 MO 발급자가 아닌 고객이 MT 발송시		○	○
3018	개인 휴대폰 번호 도용방지 이동사 부가 서비스 가입된 번호를 발신번호로 사용하여 차단		○	○
3019	기업/공공기관 사칭 방지 서비스 가입 번호를 발신번호로 사용하여 차단		○	○
3021	국제 문자 발송시, 국가코드(country code)가 없는 경우		○	
3022	Charset conversion error	동보 사용자 국가코드 '82' 인 경우, 전별 인코딩 오류 처리	○	
3023	국내/국제 수신번호가 혼란된 동보 MT 발송시 국내 수신 메시지에 적용되는 발신번호가 발신번호 사전등록 번호가 아닌 경우	MT EMMA를 이용한 경우 발생	○	
3025	중복 메시지 발생한 경우	MT EMMA, MT REST API 에서만 사용하는 코드이며, 동보이면서 일부메시지 실패인 경우 발생	○	
3027	RCS FILE API에 등록되지 않은 File Url 사용시			○
3029	광고 전송 제한 시간 발송	MT EMMA, MT REST API 에서만 사용하는 코드이며, 동보이면서 일부메시지 실패인 경우 발생	○	
3030	Failover MMS MT 처리시, 존재하지 않는 파일키인 경우			○
3031	고객요청에 의한 Failover MT 처리 안하는 경우			○
3035	통신사 장애시, 전송 차단 설정으로 메시지 전송 불가	이동사별 설정 가능		○
3036	KISA 최초 발신자 식별코드 오류로 발송 불가		○	
3037	RCS MT Failover 발송 시, KISA 최초 발신자 식별코드 오류로 발송 불가			○
3038	KISA 블랙리스트 지정번호를 발신번호로 사용하여 발송 불가		○	
3039	KISA 스팸 정책별 관리 하는 블랙리스트 번호를 발신번호로 사용하여 발송 불가		○	○
3100	통신사 재전송 시도 타임아웃	통신사에 발송 처리 에러 발생하여, 재전송을 하였으나, 통신사와의 전송 문제가 있어, 재전송시도 실패		○
1000	성공		○	○
1001	Server Busy (RS 내부 저장 Queue Full)		○	○
1002	수신번호 형식 오류	수신번호가 null 일 경우 국제 메시지 타입(1004)에 국가코드가 null 일 경우 국제 메시지의 수신번호가 해당 국가의 기본 수신번호 규칙에 위배될 경우 국내 전송 메시지 타입에 국가코드를 82가 아닌 값을 설정 할 경우	○	○
1003	회신번호 형식 오류, 발신번호 세칙 오류	회신번호 자리수가 맞지 않은 경우 실패 발신번호 변경 방지 세칙 위반)	○	○
1004	SPAM	스팸 설정으로 인한 실패	○	○
1005	사용 건수 초과	일/월 전송 건수 초과 할 경우 실패	○	○
1006	첨부 파일 없음		○	
1007	첨부 파일 있음		○	
1008	첨부 파일 저장 실패		○	
1009	고객 메시지가 없음	client_msg_key 필드에 값이 없을 경우 실패	○	○
1010	메시지내용 없음	content 필드에 값이 없을 경우 실패	○	
1014	첨부파일 KEY 없음		○	
1015	첨부파일 NAME 없음		○	
1016	첨부파일 크기 없음		○	
1017	첨부파일 Content 없음		○	
1018	전송 권한 없음	서비스(SMS/MMS/LMS)에 대한 사용 권한이 없을 경우	○	○
1019	TTL 초과	TTL필드의 시간이 12시간 지났을 경우 실패	○	○
1020	charset conversion error		○	○
1022	발신번호 사전등록제 관련 미등록 발신번호 사용		○	○
1023	중복 메시지 발생한 경우		△	○
1024	RCS 메시지 파라미터 에러			○
1026	광고 발송 제한 시간내 발송한 경우		△	○
1027	MT Failover 서비스 사용 불가	MT Failover 서비스 사용안함으로 설정되어 있는 경우		○
1028	RCS MT Failover 데이터 오류			○
1029	파일키 데이터 형식 오류	JSON형식 오류		○
1099	인증 실패	MT HTTP API 에서만 사용하는 코드이며, RS 에서 인증 실패 된 경우	○	
1000	성공		○	○
1001	ID 존재하지 않음		○	○
1002	인증 오류		○	○
1003	서버 내부 오류 (DB 접속 실패 등)		○	○
1004	클라이언트 패스워드 틀림		○	○
1005	클라이언트 공개키 등록 거부		○	○
1006	클라이언트 공개키 중복		○	○
1007	IP Address 인증 실패		○	
1008	MAC Address 인증 실패		○	
1009	서비스 거부 톨 (고객 접속 금지)		○	
E900	전송키가 없는 경우			○
E901	수신 번호가 없는 경우			○
E902	(동보인 경우) 수신번호순번이 없는 경우			
E903	제목 없는 경우			○
E904	메시지가 없는 경우			○
E905	발신번호가 없는 경우			○
E906	메시지 키가 없는 경우			○
E907	동보 여부가 없는 경우			
E908	서비스 타입이 없는 경우			○
E909	전송요청시각이 없는 경우			○
E910	TTL 타임이 없는 경우			○
E911	(MT-MMS)첨부파일 확장자가 없는 경우			
E912	(MT-MMS)attach.file 폴더에 첨부파일이 없는 경우			
E913	서비스 타입이 MMS MT인 경우, 첨부파일 사이즈가 0인 경우			
E914	서비스 타입이 MMS MT인 경우, 메시지 데이터에는 파일그룹키가 있는데 파일 데이터에 데이터가 없는 경우			
E915	중복 메시지			○
E916	인증 서버 차단 번호			○
E917	고객DB 차단 번호			○
E918	USER CALLBACK FAIL			○
E919	발송 제한 시간인 경우, 메시지 재발송 처리가 금지 된 경우			○
E920	(MT-LMS)메시지 데이터에 파일그룹키가 있는 경우			
E921	(MT-MMS)메시지 데이터에 파일그룹키가 없는 경우			
E922	동보단어 제약문자 사용 오류			
E924	JSON유효성검사 오류			○
E930	enqueue를 할 수 없는 경우			○
E999	기타 오류			○

[illegible]

상황 결과코드	Error Message	설명	비고
40001	Missing Authorization header	Valid access token in Authorization header is required for RESTful API calls.	
40002	Missing token	Authorization header does not contain a token. Note that token type is required.	
40003	Invalid token	Token has been tampered.	
40004	Token has expired	Token Has Expired	
40005	Malformed token payload	Token payload has insufficient information.	
40006	Invalid client id	Token is not issued to the client.	
40007	Insufficient scope	Token is not authorized to use the scope.	
41000	Internal Server Error	Internal Server Error	
41001	RCS Resp Timeout	RCS Request Timeout	
41003	Throttled by message rate	Throttled by message rate	
41004	RCS Server Busy	RCS Server Busy	
41005	RCS Server Temporarily unavailable	RCS Server Temporarily unavailable	
41006	Session does not exist	Session does not exist	
41007	Revoked	Message is revoked in MaP. It was not sent to messaging server.	
41008	Session already expired	Session already expired	
41100	SUBSCRIBE Timeout	SUBSCRIBE Timeout	
41101	User Not Found	User Not Found	
41200	User for Message receiving Not Found	User for Message receiving Not Found	
41201	User for message is not acceptable	User for message is not acceptable	
41210	User is not capable for TEXT	User is not capable for TEXT	
41211	User is not capable for FT	User is not capable for FT	
41212	User is not capable for RICHCARD	User is not capable for RICHCARD	
41220	User is not capable for XBOTMESSAGE 1.0	User is not capable for XBOTMESSAGE 1.0	
41221	User is not capable for XBOTMESSAGE 1.1	User is not capable for XBOTMESSAGE 1.1	
41222	User is not capable for XBOTMESSAGE 1.2	User is not capable for XBOTMESSAGE 1.2	
41230	User is not capable for OPENRICHARD 1.0	User is not capable for OPENRICHARD 1.0	
41231	User is not capable for OPENRICHARD 1.1	User is not capable for OPENRICHARD 1.1	
41232	User is not capable for OPENRICHARD 1.2	User is not capable for OPENRICHARD 1.2	
41240	User is not capable for GEOLOCATION PUSH REQUEST	User is not capable for GEOLOCATION PUSH REQUEST	
41250	Failed to get message content type	Failed to get message content type	
42001	Invalid state	Bot is in an invalid state to call the API.	
42002	Invalid message	Message is missing required fields or has malformed format.	
42003	Invalid date/time format	Date and time format does not comply with ISO 8601.	
42004	Missing contact	Missing recipient information.	
42005	Invalid contact	Incorrect contact format (e.g., phone number is not start with '+')	
42006	Emulator access only	Bot is in a state which allows access via Emulator only.	
42007	Contact not in whitelist	Bot is accessible only to authorized users via MaP client.	
42008	Missing message content	Token Has Expired	
42009	Invalid message content	Message is not any of textMessage, fileMessage, audioMessage, geolocationPushMessage, richcardMessage, or isTyping.	
42010	Ambiguous message	One and only one of textMessage, fileMessage, audioMessage, geolocationPushMessage, richcardMessage, or isTyping should be provided if sending a message to the user.	
42011	Invalid message status	Invalid MessageStatus	
42012	Invalid isTyping status	Invalid isTyping Status	
42013	Invalid traffic type	Invalid TrafficType	
42014	Invalid suggested chipList association	suggestedChipList can be used together with one and only one of textMessage, fileMessage, audioMessage, geolocationPushMessage, or richcardMessage.	
42015	Empty text message	Empty TextMessage	
42031	Missing richcard	richcardMessage should contain a message, which should contain either generalPurposeCard or generalPurposeCardCarousel.	
42032	Ambiguous richcard	A message should contain either richcard or richcard carousel.	
42033	Too many richcards	Richcard carousel exceeds the maximum allowed richcards.	
42034	Missing richcard layout	generalPurposeCard or generalPurposeCardCarousel should contain layout.	
42035	Missing richcard content	generalPurposeCard or generalPurposeCardCarousel should contain content.	
42036	Invalid cardOrientation	cardOrientation should be either HORIZONTAL or VERTICAL.	
42037	Missing image alignment	Richcard HORIZONTAL orientation should contain image alignment.	
42038	Invalid image alignment	imageAlignment should be either LEFT or RIGHT.	
42039	Redundant image alignment	Richcard VERTICAL orientation should not contain image alignment.	
42040	Invalid richcard carousel cardWidth	Richcard carousel cardWidth should be either SMALL, WIDTH or MEDIUM, WIDTH.	
42041	Mismatched media height	Media height cannot be TALL, HEIGHT for SMALL, WIDTH carousel.	
42042	Invalid richcard content	generalPurposeCard or generalPurposeCardCarousel content should have at least one of media, title, or description.	
42043	Invalid suggestions	Suggestion list should contain at least one suggested reply or action.	
42044	Too many suggestions	Suggestion list exceeds the maximum allowed items.	
42045	Invalid suggestion	Suggestion should be either reply or action.	
42046	Ambiguous suggestion	Suggestion should be one and only one reply or action.	
42047	Ambiguous suggested action	Suggested action should be one and only one type of action.	
42048	Too many suggestions in richcard (max 4)	Richcard suggestion list exceeds the maximum allowed items (4).	
42049	Too many suggestion data (max 2048)	Suggestion data exceeds the maximum data size (2048).	
42050	Invalid Action	Either latitude and longitude or query are required in location.	
42051	Invalid location	Either latitude and longitude or query are required in location.	
42052	Ambiguous location	Location should contain either query or latitude and longitude.	
42053	Invalid mapAction	One of showLocation or requestLocationPush is required in mapAction.	
42054	Ambiguous mapAction	mapAction should contain either showLocation or requestLocationPush.	
42055	Invalid dialerAction	One of dialPhoneNumber, dialEnrichedCall, or dialVideoCall is required in dialerAction.	
42056	Ambiguous dialerAction	dialerAction should contain only one type of dialer action.	
42057	Invalid composeAction	Either composeTextMessage or composeRecordingMessage is required in composeAction.	
42058	Ambiguous composeAction	composeAction should contain only one type of compose action.	
42059	Invalid settingsAction	Either enableDisplayedNotifications or disableAnonymization is required in settingsAction.	
42060	Ambiguous settingsAction	settingsAction should contain only one type of settings action.	
42061	Invalid ClipboardAction	clipboardAction should contain copy text.	
42062	Missing localBrowserAction	LocalBrowserAction should contain url.	
42063	Invalid ShareAction	ShareAction should contain url.	
42064	Ambiguous ShareAction	Sharetext of ShareAction should contain text.	
42100	Invalid thumbnail	thumbnailFileSize and thumbnailContentType should be provided together with thumbnailUrl.	
42101	Missing fileUrl	Missing FileUrl	
42102	Missing audio fileUrl	Missing AudioFile Url	
42103	Missing pos	Missing Pos	
42104	Missing Media information	Missing Media Information	
42105	Missing Media information	Missing Media Information	
42106	Missing Media information	Missing Media Information	
42107	Missing Media information	Missing Media Information	
42201	Invalid Location	geolocationPushMessage should not contain label length > 200 Characters.	
42202	Invalid media content description	Content Description of media is not in limit <1 Character or >200 Character.	
42203	Invalid media title	Media title is not in limit <1 Character or >200 Character.	
42204	Invalid media description	Media card description is not in limit <1 Character or >2000 Character.	
42205	Too many contents in richcard carousel	Richcard carousel list exceeds the maximum allowed items (10).	
42206	Invalid media file size	Minimum Value for file size is 0.	
42207	Invalid expiry time format	Invalid expiry time	
42208	Invalid expiry time	Invalid expiry time	
42301	Ambiguous Openrichcard	OpenrichcardMessage should contain a message, which should contain either generalPurposeCard or generalPurposeCardCarousel.	
42302	Missing Openrichcard	A OpenrichcardMessage should contain open_rich_card.	
42303	Missing Openrichcard Layout Widget	Openrichcard should contain widget.	
42304	Missing Openrichcard View Content	View layout of Openrichcard do not have mandatory parameters.	
42305	Missing Openrichcard LinearLayout Content	Parameters in LinearLayout have invalid value.	
42306	Missing Openrichcard TextView Content	TextView layout of Openrichcard do not have mandatory parameters.	
42307	Invalid Contents in Openrichcard TextView	Parameters in TextView have invalid value.	
42308	Invalid Text Length In Openrichcard TextView	text is not limit in 10 < text < 2000.	
42309	Missing Openrichcard ImageView Content	ImageView layout of Openrichcard do not have mandatory parameters.	
42310	Too Small Media In Openrichcard Imageview	MediaFileSize is under 0.	
42311	Invalid Openrichcard Imageview ScaleType	ScaleType value of ImageView should be center or centerCrop or centerInside or fitCenter or fitEnd or fitStart or FOCUS or matrix.	
42312	Missing Openrichcard width or height	width or height is not in Openrichcard	
42313	Invalid Openrichcard width or height	width or height in Openrichcard has invalid value.	
42314	Invalid Openrichcard Common Contents	Common Contents in Openrichcard has invalid value.	
42315	Too many child in open rich card		
42401	Invalid file type	Invalid file type	
42402	Download failure	Download failure	
42501	Missing contact	Missing contact	
42502	Missing content	Missing content	
42503	Missing title	Missing title	
42504	Missing description	Missing description	
42505	Missing image url	Missing image url	
42506	Missing image type	Missing image type	
42507	Missing button link	Missing button link	
42508	Missing button text	Missing button text	
42509	Invalid title	Invalid title	
42510	Invalid description	Invalid description	
42511	Invalid image url address	Invalid image url address	
42512	Invalid button url address	Invalid button url address	
42513	Invalid button text	Invalid button text	
42514	Duplicated message ID	Duplicated message ID	
42601	Too Many Request	Too Many Request	

RBC 결과코드	Error Message	설명	비고
60004	No Content	요청을 성공적으로 처리했으나 데이터가 없음	
61001	Missing Authorization header	Authorization 헤더 파라미터 누락	
61002	Missing Token	Authorization 헤더 값(Token) 누락	
61003	Invalid token	유효하지 않은 Token	
61004	Token has expired	Token 만료	
61005	Invalid client id	유효하지 않은 client id	
61006	Invalid secret key	유효하지 않은 secret key	
63001	No Brand Permission	브랜드에 대한 권한 없음	
64001	Missing X-RCS-BrandKey header	X-RCS-BrandKey 헤더 누락	
64002	Invalid Brand Key	X-RCS-BrandKey 의 Brand Key 오류	
64101	Invalid brandId on path parameter	URL 내 Brand ID 오류	
64102	Invalid agencyId on path parameter	URL 내 Agency ID 오류	
64103	Invalid corpRegNum on path parameter	URL 내 사업자등록번호 오류	
64104	Invalid personId on path parameter	URL 내 Person ID 오류	
64105	Invalid chatbotId on path parameter	URL 내 chatbot ID 오류	
64106	Invalid messagebaseId on path parameter	URL 내 messagebase ID 오류	
64107	Invalid messagebaseformId on path parameter	URL 내 messagebaseform ID 오류	
64201	Invalid query parameter ((name of paramter))	유효하지 않은 Query 파라미터 : (해당 파라미터)	
64202	Invalid query parameter value ((name of paramter):(value))	Query 파라미터 값 오류 : (오류발생 값)	
64203	query paramter required ((name of paramter))	필수 Query 파라미터 누락 : (누락된 파라미터)	
64301	Missing Body data	Body Data 누락	
64302	Invalid JSON format	Body Data JSON 형식 오류	
64303	Invalid type of Attribute ((name of attribute))	Attribute type 오류 : (오류 발생 attribute)	
64304	Over specified size ((name of attribute))	지정된 사이즈 초과 : (사이즈 초과된 attribute)	
64305	Missing Certification document	발신번호 등록 시 통신서비스이용증명원 파일 누락	
64306	Exceed MDN registration quantity	발신번호 등록 시 발신번호 등록 개수 초과	
64307	Missing MDN	발신번호 등록 시 발신번호 누락	
64308	Invalid MDN format	발신번호 등록 시 발신번호 형식 오류	
64309	Missing chatbot name	발신번호 등록 시 챗봇이름 누락	
64310	Invalid display format	발신번호 등록 시 display 설정 형식 오류	
64311	Invalid smsmo format	발신번호 등록 시 smsmo 형식 오류	
64312	Missing messagebaseformId	템플릿 등록 시 템플릿 양식 ID 누락	
64313	Invalid messagebaseformId	템플릿 등록 시 템플릿 양식 ID 오류	
64314	Missing Template name	템플릿 등록 시 템플릿명 누락	
64315	Missing brandId	템플릿 등록 시 브랜드 ID 누락	
64316	Invalid brandId	템플릿 등록 시 브랜드 ID 오류	
64317	Invalid agencyId	템플릿 등록 시 대행사 ID 오류	
64318	Invalid formattedString format	템플릿 등록 시 formattedString 형식 오류	